

**PAT-NO:** JP406322251 A  
**DOCUMENT-IDENTIFIER:** JP 06322251 A  
**TITLE:** COLD-CURING  
COMPOSITION  
**PUBN-DATE:** November 22, 1994

**INVENTOR-INFORMATION:**

NAME	COUNTRY
WATABE, TAKASHI	
HIGUCHI, TOSHIHIKO	
YAMAMOTO, HIROTSUGU	
DOI, TAKAO	

**ASSIGNEE-INFORMATION:**

NAME	COUNTRY
ASAHI GLASS CO LTD	N/A

**APPL-NO:** JP05132833  
**APPL-DATE:** May 11, 1993

**INT-CL (IPC):** C08L071/02 , C08K005/09 , C08L101/10

**ABSTRACT:**

**PURPOSE:** To obtain a cold-curing compsn. with a low viscosity, a high elongation, and excellent strengths by mixing an org. polymer having a silicon-contg. group with a tin (II) carboxylate and an acidic and/or basic compd.

**CONSTITUTION:** A cold-curing compsn. is prepd. by mixing 100 pts.wt. org. polymer of the formula (wherein R1 is a residue of an org. polymer having a number-average mol.wt. of 5,000 or higher; R2 is a 1-20C monovalent hydrocarbon group; X is a hydrolyzable group; a is 1-3; and n is an integer) having, on average, at least 0.3 silicon-contg. group per molecule, 0.001-10 pts.wt. tin (II) carboxylate, and 0.001-10 pts.wt. acidic and/or basic compd. R1 in the formula is a residue of a polyoxyalkylene polymer having a ratio of the wt.-average to the number-average mol.wt. of 1.5 or lower and is pref. formed by polymerizing an alkylene oxide using a double metal cyanide complex as the catalyst. Pref. examples of the acidic and/or basic compd. are an org. amine compd. and an arom. sulfonic acid compd.

**COPYRIGHT:** (C)1994,JPO